

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("4028509").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/17 16:20
S1	2	("20050030048").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:11
S2	8177	((324/658,660,661,673) or (341/20,22,33) or (345/168,173,174,176)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 13:36
S3	352460	keypad OR key-pad OR "key pad" OR keyboard OR key-board OR "key board"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:22
S4	64252	(capacitive OR capacitor OR capacitance) NEAR3 (sens\$3 OR detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:05
S6	410384	(transparent OR clear OR see- through OR "see through") NEAR2 (layer OR sheet OR film OR coat\$3 OR material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:05
S7	840725	flex\$3 OR stretch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:06
S8	21	S2 AND S3 AND S4 AND S6 AND S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:26
S9	13	(robert NEAR2 bolender) OR (benjamin NEAR2 rubenson)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 15:26
S10	2068562	transparent OR clear OR see- through OR "see through"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:05

S11	64277	(capacitive OR capacitor OR capacitance) NEAR3 (sens\$3 OR detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:05
S12	840905	flex\$3 OR stretch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:06
S13	352642	keypad OR key-pad OR "key pad" OR keyboard OR key-board OR "key board"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:06
S14	8184	((324/658,660,661,673) or (341/20,22,33) or (345/168,173,174,176)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:31
S15	9	S14 AND S13 AND (S10 WITH S11) AND S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:08
S16	14	S14 AND (S10 WITH S11) AND S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:08
S17	5	S16 NOT S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:21
S18	8748	conduct\$3 NEAR1 bridg\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:21
S19	5	S14 AND S11 AND S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:22
S20	29912	(electrode OR capacit\$4) NEAR pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:29
S21	63	S14 AND S11 AND S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 11:30

S22	14206	(capacitive OR capacitance) NEAR1 (sensor OR sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:09
S23	60969	touchscreen OR touchpanel OR (touch NEAR (screen OR panel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:10
S24	682	S22 AND S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:10
S25	546932	bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:10
S26	76	S22 AND S23 AND S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:21
S27	2008107	pattern\$3 OR layout OR (lay NEAR out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:22
S28	26	(S22 WITH S27) AND S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:40
S29	292	(S22 WITH S27)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:40
S30	60307	honeycomb OR (honey NEAR comb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:40
S31	38	S22 AND S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 10:40
S32	5	("20030025679").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:58

S33	2	("6243080").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:59
S34	2	("5675361").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 10:59
S35	14	((("5909210") or ("5341133") or ("20020180707") or ("20020021280") or ("20020049070") or ("6002594") or ("6188391"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:00
S36	1	"5305017".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:03
S37	1	"5349303".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:03
S38	1	"5543590".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:03
S39	1	"5565656".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:09
S40	1	"5757368".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:06
S41	1	"5767457".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:06
S42	1	"5869790".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:06
S43	1	"5869790".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:07
S44	1	"5926171".PN.	USPAT; USOCR	OR	ON	2005/10/24 11:07
S45	2	("5917906").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:09
S46	2	("20030030628").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:10
S47	2	("6704005").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 11:10
S48	5	"6188391"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:06
S49	16046	(opening OR gap OR hole) WITH electrode WITH light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:10

S50	33	S22 AND S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:10
S51	8263	((178/18.06) or (324/658,660,661,673) or (341/20,22,33) or (345/168,173,174,176)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:32
S52	8263	((178/18.06) or (324/658,660,661,673) or (341/20,22,33) or (345/168,173,174,176)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:32
S53	65770	(capacitance OR capacitive OR capacitor) NEAR3 (sens\$3 OR detect \$3 OR touch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:15
S54	1042991	transparen\$3 OR translucen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:06
S55	205565	opaque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:35
S56	554429	(opening OR hole OR gap OR aperture OR breach OR break OR cavity OR crevice OR cut OR discontinuity OR orifice OR perforation OR recess OR slit OR slot OR space OR window) WITH light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:37
S57	7	S52 AND S53 AND S54 AND (S55 SAME S56)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 12:38
S58	1	"6403904".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:46
S59	1	"6137072".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:46
S60	1	"6016134".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:47
S61	1	"6016134".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:47
S62	1	"5917165".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:47
S63	1	"5917165".PN.	USPAT; USOCR	OR	ON	2005/10/24 12:48

S64	27	((("20030025679") or ("6243080") or ("5675361") or ("5909210") or ("5341133") or ("20020180707") or ("20020021280") or ("20020049070") or ("6002594") or ("6188391") or ("5917906") or ("20030030628") or ("6704005"))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:56
S65	122657	(transparen\$3 OR translucen\$3) WITH (sensor OR sensing OR electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:07
S66	51042	(deform\$4 OR flex\$4 OR stretch\$4) WITH switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:23
S67	9	S52 AND S53 AND S65 AND S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:34
S68	355791	keypad OR (key NEAR pad) OR keyboard OR (key NEAR board)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:49
S69	794	keymat OR (key NEAR mat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:22
S70	2681439	deform\$4 OR flex\$4 OR stretch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:23
S71	4	S52 AND S53 AND S68 AND S69 AND S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:34
S72	75	S53 AND S65 AND S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:34
S73	8	S53 AND S68 AND S69 AND S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:35
S74	4	S73 NOT S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:35

S75	1658	S68 AND S70 AND S53 AND switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:50
S76	201	S52 AND S68 AND S70 AND S53 AND switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:51
S77	85	S52 AND S68 AND S53 AND (S70 SAME switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 13:59
S78	37	S52 AND S68 AND S53 AND (S70 SAME switch\$3) and (transparen\$4 OR transluc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 14:00
S79	1	"4948232".PN.	USPAT; USOCR	OR	ON	2005/10/24 14:07
S80	1	"4823311".PN.	USPAT; USOCR	OR	ON	2005/10/24 14:07
S81	1	"4789858".PN.	USPAT; USOCR	OR	ON	2005/10/24 14:07
S82	1	"4785564".PN.	USPAT; USOCR	OR	ON	2005/10/24 14:07
S83	12371	(conduct\$3 OR carbon) NEAR1 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S84	1042991	transparen\$3 OR translucen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S85	3381408	light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S86	65770	(capacitance OR capacitive OR capacitor) NEAR3 (sens\$3 OR detect \$3 OR touch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:15
S87	12371	(conduct\$3 OR carbon) NEAR1 ink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:26

S88	1042991	transparen\$3 OR translucen\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S89	3381408	light	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S90	122657	(transparen\$3 OR translucen\$3) WITH (electrode OR sensor OR sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:16
S91	60	S86 AND S87 AND S89 AND S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:28
S92	9	((conduct\$3 OR carbon) NEAR1 ink) WITH (minimiz\$3 OR maximiz\$3 OR reduc\$3 OR increas\$3 OR lessen OR improv\$3 OR eliminat\$3) WITH (light OR indicia OR visual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:32
S93	198	S86 AND "L7"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:28
S94	0	S86 AND S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:28
S95	305	((conduct\$3 OR carbon) NEAR1 ink) SAME (minimiz\$3 OR maximiz\$3 OR reduc\$3 OR increas\$3 OR lessen OR improv\$3 OR eliminat\$3) SAME (light OR indicia OR visual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:34
S96	44	S86 AND S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:33
S97	76	((conduct\$3 OR carbon) NEAR1 ink) SAME ((minimiz\$3 OR maximiz\$3 OR reduc\$3 OR increas\$3 OR lessen OR improv\$3 OR eliminat\$3) WITH (light OR indicia OR visual))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:34
S98	9	S86 AND S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 15:34

S99	8616	((324/658,660,661,673) or (341/20,22,33) or (345/168,173,174,176)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:00
S100	1	S99 AND ((capacitive ADJ sensor) WITH (opaque OR transparent) WITH (light OR illuminat\$3) WITH (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:58
S101	1	(capacitive ADJ sensor) WITH (opaque OR transparent) WITH (light OR illuminat\$3) WITH (key OR button OR design OR number OR letter OR character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 13:58
S102	5	S99 AND (sensor WITH (opaque OR transparent) WITH (light OR illuminat\$3) WITH (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:00
S103	223	(sensor WITH (opaque OR transparent) WITH (light OR illuminat\$3) WITH (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:00
S104	252193	((("324") or ("341") or ("345")).CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 17:52
S105	27	S104 AND (sensor WITH (opaque OR transparent) WITH (light OR illuminat\$3) WITH (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:26
S106	2	("6924789").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 14:02
S107	10	("20010046081" "20040041967" "20040108193" "5675361" "5887995" "5988902" "6224278" "6288707" "6498600" "6680731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 14:02
S108	0	("6924789").URPN.	USPAT	OR	ON	2006/03/24 14:25
S109	497	S104 AND ((sens\$3 OR sensor) SAME (opaque OR transparent) SAME (light OR illuminat\$3) SAME (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:27
S110	41	S99 AND ((sens\$3 OR sensor) SAME (opaque OR transparent) SAME (light OR illuminat\$3) SAME (key OR button OR design OR number OR letter OR character))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/24 14:27

S111	309	((keypad keymat (key adj pad mat) rubber) with (capacitive capacitance capacitor) with (integrat\$3 thin\$3 slim\$3 thick \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:53
S112	281609	((("324") or ("341") or ("345")). CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 17:52
S113	34	S112 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:53
S114	106	((keypad keymat (key adj pad mat)) with (capacitive capacitance capacitor) with (integrat\$3 thin\$3 slim\$3 thick \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:55
S115	19	S112 and S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:54
S116	303	(keypad keymat (key adj pad mat) rubber) near10 (within inside in integrat\$3) near10 (capacitive capacitance capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:58
S117	185	(keypad keymat (key adj pad mat) rubber) near10 (within inside integrat\$3) near10 (capacitive capacitance capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:58
S118	379	(324/661).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 18:05
S119	7	S118 and (keymat keypad (key adj (mat pad)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:06
S120	41	((flexible flex\$3 flexible) near5 (keypad keymat keyboard (key adj (pad mat board)))) same (capacitance capacitive capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:06
S121	1	("6924789").URPN.	USPAT	OR	ON	2008/01/03 10:13

S122	25	("20020049070" "20020054030" "4224615" "4394643" "4499343" "5463388" "5666113" "5869790" "5896127" "5909211" "5917906" "5920310" "5988902" "6130665" "6204839" "6243080" "6259044" "6373265" "6388660" "6396483" "6518958" "6636203" "6704005" "6819316" "6924789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 10:15
S123	10	("20010046081" "20040041967" "20040108193" "5675361" "5887995" "5988902" "6224278" "6288707" "6498600" "6680731").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 10:29
S124	503	(keypad keymat (key adj (pad mat)) (keyboard near10 (flexible rubber))) with (capacitance capacitive capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:07
S125	282	S124 and (thin\$4 thick\$4 flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:10
S126	281797	((("324") or ("341") or ("345")). CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 13:10
S127	74	S126 and S124 and (thin\$4 thick\$4 flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:37
S128	3761	(dielectric di-electric) near10 rubber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:38
S129	148	S126 and ((dielectric di-electric) near10 rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:48
S130	25	S126 and ((dielectric di-electric) with (thin flexible) with rubber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 13:48
S131	6	("6137427").URPN.	USPAT	OR	ON	2008/01/03 13:51
S132	29	(flexible with ((single one) near5 (sheet layer)) with (capacitive capacitance capacitor) with sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/15 18:27

S133	3	((clear transparent transparency opaque) with flexible with ((single one) near5 (sheet layer)) with (capacitive capacitance capacitor) with sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/15 18:27
S134	29	(flexible with ((single one) near5 (sheet layer)) with (capacitive capacitance capacitor) with sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/15 18:32
S135	5	(flexible and ((single one) adj (sheet layer))) with ((capacitive capacitance capacitor) near5 sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/15 18:37
S136	13	((flexible and ((single one) adj (sheet layer))) same ((capacitive capacitance capacitor) near5 sens\$3)) and (clear transparent transparency (see\$3 adj through))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/15 18:47
S137	8	("5305017" "5349303" "5543590" "5565658" "5757368" "5767457" "5869790" "5926171").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/15 19:00
S138	3	S137 and flex\$4	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/15 19:00
S139	647	(transparen\$3 near4 (pcb (printed adj circuit adj board)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/15 19:01
S140	208	(flex\$4 and (transparen\$3 clear see-through (see\$3 adj through))) near4 (pcb (printed adj circuit adj board))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/15 19:04
S141	152	(flex\$4 and (transparen\$3 (see\$3 adj through))) near4 (pcb (printed adj circuit adj board))	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/15 19:09

7/17/08 5:32:25 PM

C:\Documents and Settings\abeck\My Documents\EAST\Workspaces\10635748.wsp